

EAST SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	38	(hot adj. cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/05 15:04
L9	609	(hot same cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/05 15:01
L10	38	(hot same cache) and (hot adj. cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/05 15:02
L13	1	"6370620".pn. and hash	USPAT	OR	OFF	2005/01/05 16:17
L14	344	711/119.ccls.	USPAT	OR	OFF	2005/01/05 16:18
L15	313	711/119.ccls. and cache	USPAT	OR	OFF	2005/01/05 16:18
L16	34	(US-20010056416-\$ or US-20020009079-\$ or US-20020026560-\$ or US-20030065743-\$).did. or (US-5155816-\$ or US-5566349-\$ or US-5590301-\$ or US-5611049-\$ or US-5713003-\$ or US-5740370-\$ or US-5892914-\$ or US-5933849-\$ or US-5935207-\$ or US-6094706-\$ or US-6167438-\$ or US-6185601-\$ or US-6205481-\$ or US-6212565-\$ or US-6233606-\$ or US-6249844-\$ or US-6304904-\$ or US-6330561-\$ or US-6330572-\$ or US-6370620-\$ or US-6374241-\$ or US-6415359-\$ or US-6425005-\$ or US-6438652-\$ or US-6523040-\$ or US-6591341-\$).did. or (US-6681387-\$ or US-6741963-\$ or US-6785704-\$).did. or (JP-02239319-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2005/01/05 17:28
S1	6	("5892914" "5933849" "6167438" "6185601" "6205481" "6212565"). pn.	USPAT	OR	OFF	2005/01/03 14:14
S2	2789	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:35
S3	805	S2 and cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:35

S4	659	S3 and (client same server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:35
S5	536	S4 and content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:35
S6	281	S5 and dynamic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:36
S7	164	S6 and static	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:36
S8	162	S7 and request	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:36
S9	99	S8 and (forward\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:37
S10	80	S9 and (content with server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:38
S11	1	S10 and (hot near3 cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:38
S12	1	S10 and (hot with cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:38
S13	37	(hot adj cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 11:38
S14	10	S13 and client and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 12:01
S16	6	("5892914" "5933849" "6167438" "6185601" "6205481" "6212565"). pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 12:02

S17	2789	709/219.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 13:40
S18	805	S17 and cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 14:44
S19	659	S18 and (client same server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 13:40
S20	536	S19 and content	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 13:40
S21	281	S20 and dynamic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 13:40
S22	164	S21 and static	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 13:40
S23	162	S22 and request	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 13:40
S24	99	S23 and (forward\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 13:40
S25	80	S24 and (content with server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 13:40
S27	1	"5892914".pn. and cache	USPAT	OR	OFF	2005/01/03 14:10
S28	3	((("5892914" "5933849" "6167438" "6185601" "6205481" "6212565"). pn.) and dynamic	USPAT	OR	OFF	2005/01/03 14:28
S29	6	("5892914" "5933849" "6167438" "6185601" "6205481" "6212565"). pn.	USPAT	OR	OFF	2005/01/03 14:29
S30	1	S29 and LRU	USPAT	OR	OFF	2005/01/03 14:44
S31	1119	LRU and static and dynamic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 14:45

S32	760	LRU and (static same dynamic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 14:45
S33	252	LRU and ((static same dynamic) same cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 14:45
S34	129	LRU and ((static same dynamic) with cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 14:45
S35	11	LRU same ((static same dynamic) with cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 14:47
S36	9	LRU and ((static same dynamic) with cache) and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 14:49
S37	28	LRU and ((static same dynamic) same cache) and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 14:50
S38	19	S37 not S36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 15:03
S39	2465	retrieve near3 cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 15:04
S40	22	(retrieve near3 cache) same (static same dynamic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 16:30
S41	37	hot adj cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 16:30
S42	1	(hot adj cache) same (forward near request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 16:30
S43	1	(hot adj cache) same (forward with request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 16:30

S44	18	(hot adj cache) and (forward with request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 16:31
S45	4	(hot adj cache) and (forward with request) and (content near server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 16:31
S46	18	(hot adj cache) and (forward with request) and dynamic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 17:34
S47	16	(hot adj cache) and (forward with request) and (dynamic same static)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 16:32
S48	3	"Network Distributed Caches"	USPAT	OR	OFF	2005/01/03 17:20
S49	1	"5611049".pn. and (cache)	USPAT	OR	OFF	2005/01/03 17:21
S50	1	"5611049".pn. and (cache) and LRU	USPAT	OR	OFF	2005/01/03 17:21
S51	2	S46 not S47	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 17:40
S52	19	S41 not S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 17:40
S53	9	S52 and forward\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 18:18
S54	2256	(determin\$4 near3 type) with request	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 18:19
S55	410	(determin\$4 near3 type) with (receiv\$4 near3 request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 18:19
S56	223	(determin\$4 adj type) with (receiv\$4 near3 request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 18:20
S57	74	(determin\$4 adj type) with (receiv\$4 adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 18:20

S58	2	(determin\$4 adj type) with (receiv\$4 adj request) same (cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 19:13
S59	1	(hot adj cache) same threshold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/03 19:14
S60	10	(hot adj cache) same frequen\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:50
S61	6043	(cache) with frequen\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 11:56
S62	108	(cache) with frequen\$4 with static	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 11:56
S63	61	(cache) with frequen\$4 with threshold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 11:56
S64	1	(cache) with frequen\$4 with threshold with static	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 11:57
S66	50	(cache) with frequen\$4 with counter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 11:58
S67	1	(cache) with frequen\$4 with counter with threshold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:01
S70	1	"6741963".pn. and (cache) and frequen\$4 and counter and threshold	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:02
S71	1290	(frequently adj used) with cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:13
S72	186	((frequently adj used) with cache) not least	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:13

S73	19	((frequently adj used) with cache with speed) not least	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:19
S79	12	((frequently with used) same cache same threshold)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:20
S80	245	(forward\$4 near3 request) near cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:40
S81	1	((forward\$4 near3 request) near cache) same hot	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:41
S82	12	((forward\$4 near3 request) near cache) same frequent\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:41
S83	4	(first adj cache) with (forward\$3 adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:52
S84	5	(second adj cache) with (forward\$3 adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 12:53
S85	2	(secondary adj cache) with (forward\$3 adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 13:45
S86	44	(content adj server) with (forward\$3 adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 13:45
S87	1	(content adj server) with (forward\$3 adj request) with static	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 13:45
S88	1	(content adj server) with (forward\$3 adj request) with access	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 13:45
S89	6	(content adj server) with (forward\$3 adj request) same cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 14:21

S90	22	(request with extension) same (application program script) same cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 14:57
S91	1772	cache and (content with identifier)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 14:57
S92	82	cache and (content with (resource adj identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 14:57
S93	12	cache same (content with (resource adj identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 16:55
S94	19	cache same (hash hashing) same (forward\$4 adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 16:58
S95	19	cache same (hash hashing) same (forward\$4 adj request) and forward\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:35
S97	1	(forward adj request) with (content adj server) same ((additional another other extra secondary backup back-up) adj cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:40
S98	1	(forward adj request) same (content adj server) same ((additional another other extra secondary backup back-up) adj cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:37
S99	3	(forward adj request) with (content adj server) with cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:38
S10 0	1	(forward adj request) with (server) with ((additional extra another separate subsequent other) adj cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:39
S10 1	1	(forward adj request) with (server) with ((additional extra another separate subsequent other) adj cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:40
S10 2	0	(forward adj request) with (server) with ((additional extra another separate subsequent other) adj (storage memory disk))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:41

S10 3	19	LSAM	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:41
S10 4	7	LSAM and cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:11
S10 5	259	(content adj server) with cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:42
S10 6	14	((content adj server) with cache) with forward	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:42
S10 7	18	((content adj server) with cache) with forward\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:42
S10 8	15	((content adj server) with cache) with forward\$4 with request	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:45
S10 9	52	((content with server) with cache) with forward\$4 with request	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:45
S11 0	37	S109 not S108	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:49
S11 1	50	(server adj forward\$3) with request with cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 18:49
S11 2	1	"6813278".pn. and cache and request	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:13
S11 3	1	"6813278".pn. and (cache same request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:15
S11 4	1	"6813278".pn. and (cache and server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:15

S11 5	235	(forward\$4 near3 server) with cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:16
S11 6	0	(forward\$4 near3 server) with ("to" adj cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:16
S11 7	0	(forward\$4 near3 server) with (to adj cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:16
S11 8	983	(forward\$4 near3 request) with cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:17
S11 9	31	(forward\$4 near3 request) with ((additional extra another separate subsequent backup back-up secondary) near3 cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:18
S12 0	6	(server adj forward\$4 near3 request) with ((additional extra another separate subsequent backup back-up secondary) near3 cache)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:55
S12 1	2404	hierarch\$5 near3 cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:55
S12 2	813	hierarch\$5 adj cache	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:55
S12 3	0	(hierarch\$5 adj cache) with (forward\$4 adj request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/05 14:57
S12 4	3	(hierarch\$5 adj cache) with (forward\$4 near3 request)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/04 19:56